spectrum®



SAFETY DATA SHEET

Preparation Date: 6/15/2017

Revision Date: 9/28/2018

Revision Number: G2

1. IDENTIFICATION

Product identifier

Product code: Product Name: B1116 BISMUTH SUBGALLATE, USP

Other means of identification Synonyms: CAS #: RTECS # CI#:

Gallic Acid Bismuth Basic Salt 99-26-3 DF3396500 Not available

Recommended use of the chemical and restrictions on use

Recommended use:No information available.Uses advised againstNo information available

Supplier:

Spectrum Chemical Mfg. Corp 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At:	https://www.spectrumchemical.com
Emergency telephone number	Chemtrec 1-800-424-9300
Contact Person:	Martin LaBenz (West Coast)
Contact Person:	Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %			
Bismuth Subgallate	99-26-3	100			
	4. FIRST AID MEASURES				
First aid measures					
ha	National Capital Poison Center in the United States can provide assistance if yo have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.				
	ash off immediately with soap and plenty of votes. Get medical attention if irritation develo	water removing all contaminated clothing and ps.			
Eye Contact: FI	sh eyes with water for 15 minutes. Get med	ical attention if irritation occurs.			
	ve to fresh air. If breathing is difficult, give o piration. Get medical attention.	xygen. If not breathing, give artificial			
	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.				
Most important symptoms and effects,	both acute and delayed				
M M Cl ca m Da It	May cause abdominal pain, nausea, vomiting, diarrhea May cause anorexia May cause gingivitis, foul breath, ulcerative stomatitis Chronic exposure to large amounts of Bismuth and Bismuth salts/compounds may also cause Bismuth encephalopathy which is characterized by mental confusion, ataxia, myoclonus (myoclonic jerks), and dysarthria Dark line in the gums may also be produced in cases of chronic Bismuth poisoning It may affect the kidneys May affect the liver				
Indication of any immediate medical attention and special treatment needed					
Notes to Physician: Tr	eat symptomatically.				
Protection of first-aiders First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.					
5. FIRE-FIGHTING MEASURES					
Extinguishing Media Suitable Extinguishing Media:	Dry chemical. Carl foam.	Dry chemical. Carbon dioxide (CO2). Water spray mist or foam.			
Unsuitable Extinguishing Media:	No information ava	No information available.			
Specific hazards arising from the chemical					
Hazardous Combustion Products:		fire the following can be released:. arbon Monoxide, Carbon Dioxide.			
Specific hazards:	May be combustib	le at high temperatures.			
Product code: B1116	Product name: BISMUTH SUBGALLATE, USP	2 / 10			

Special Protective Actions for Firefighters

Specific Methods:

No information available.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and material for containment and cleaning up

Methods for containmentStop leak if you can do it without risk. Cover with plastic sheet to prevent
spreading.Methods for cleaning upUse appropriate tools to put the spilled solid in a suitable waste disposal container.
Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors/dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Sensitive to light. Store in light-resistant containers. Protect from light. Store away from incompatible materials.

Incompatible Materials:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Bismuth Subgallate	99-26-3	None	None	None	None

Canada

Product code: B1116

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Bismuth Subgallate	99-26-3	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Bismuth Subgallate	99-26-3	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:	Safety glasses with side-shields. or Goggles
Skin and body protection:	Chemical resistant protective suit Gloves Boots
Respiratory protection:	Effective dust mask. Use a dust respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Appearance:	Color:
Solid	Powder.	Yellow.
Odor:	Taste	Formula:
Odorless.	No information available.	C7H5BiO6
Molecular/Formula weight (g/mole):	Flammability:	Flashpoint (°C/°F):
394.09	No information available	No information available.
Flash Point Tested according to:	Autoignition Temperature (°C/°F):	Lower Explosion Limit (%):
Not available	No information available	No information available
Upper Explosion Limit (%):	Melting point/range(°C/°F):	Decomposition temperature(°C/°F):
No information available	No information available	No information available
Boiling point/range(°C/°F):	Bulk density:	Density (g/cm3):
No information available	No information available	No information available

Specific gravity: 1.11

Evaporation rate: No information available

Odor threshold (ppm): No information available

Miscibility: No information available **pH:** No information available

Vapor density: No information available

Partition coefficient (n-octanol/water): No information available

Solubility: No information available

10. STABILITY AND REACTIVITY

Vapor pressure @ 20°C (kPa): No information available

VOC content (g/L): No information available

Viscosity: No information available

Reactivity No information available

Chemical stability	
Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	Hazardous polymerization does not occur
Conditions to avoid:	Excess Heat. Exposure to light. Incompatible materials.
Incompatible Materials:	Strong oxidizing agents
Hazardous decomposition products:	No information available.
Other Information Corrosivity:	No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Skin. Inhalation. Ingestion.

Acute Toxicity

Component Information

CAS-No. 99-26-3 LD50/oral/rat = No information available LD50/oral/mouse = No information available LD50/dermal/rabbit = No information available LD50/dermal/rat = No information available LD50/dermal/rat = No information available LD50/dermal/rat = No information available LC50/inhalation/rat = No information available	Bismuth Subgallate			
LD50/oral/rat = No information available LD50/oral/mouse = No information available LD50/dermal/rabbit = No information available LD50/dermal/rat = No information available LC50/inhalation/rat = No information available				
LD50/oral/mouse = No information available LD50/dermal/rabbit = No information available LD50/dermal/rat = No information available LC50/inhalation/rat = No information available	CAS-No.	99-26-3		
LD50/dermal/rabbit = No information available LD50/dermal/rat = No information available LC50/inhalation/rat = No information available	LD50/oral/rat = No information	available		
LD50/dermal/rat = No information available LC50/inhalation/rat = No information available	LD50/oral/mouse = No informa	ation available		
LC50/inhalation/rat = No information available	LD50/dermal/rabbit = No information available			
	LD50/dermal/rat = No informati			
LOCO/inholation/manage Nationation available				
LC50/inhalation/mouse = No information available				
Other LD50 or LC50information = No information available	Other LD50 or LC50informatio	n = No information available		

Product Information

LD50/oral/rat = VALUE- Acute Tox Oral = No information available

LD50/oral/mouse = Value - Acute Tox Oral = No information available

LD50/dermal/rabbit VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat VALUE-Vapor = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse VALUE-Vapor = No information available VALUE - Gas = No information available VALUE - Dust/Mist = No information available

Symptoms

Skin Contact:	May cause skin irritation.	
Eye Contact:	May cause eye irritation.	
Inhalation	May cause irritation of respiratory tract.	
Ingestion	Ingestion of Bismuth compounds can cause gingivitis, stomatitis, severe irrit of the gastrointestinal tract with nausea, vomiting, cramping, diarrhea, colitis possible gastrointestinal bleeding, and possible corrosion and permanent tis damage of the esophagus and digestive tract. Bismuth compounds are considered poorly to moderately absorbed following ingestion. If absorption it may cause loss of appetite, kidney toxicity/damage (albuminuria, hematuri nephritis), liver toxicity/damage (jaundice, hepatitis).	s, sue occur,
Aspiration hazard	No information available.	
Delayed and immediate effects	as well as chronic effects from short and long-term exposure	
Chronic Toxicity	Chronic exposures to large amounts of Bismuth or Bismuth salts/compounds associated with Bismuth lines (a blue-black lines) on the gums, foul breath (halitosis), gastric irritation, diarrhea, gingivitis, ulcerative stomatitis, nausea decrease or loss of appetite and weight, headache, joint pains (rheumatic pa diarrhea, and liver and kidney damage. The kidneys are the site of highest concentration with the liver being considerably lower. There may also be me changes (memory loss, confusion, delirium, disorientation, delusions, psycho depression), insomnia, difficulty in concentration, tremor, abnormal coordina nervousness), blood changes (lymphocytosis, agranulocytosis, aplastic aner and bone marrow depression. It may also cause Bismuth encephalopathy is characterized by mental confusion, ataxia (disordered gait), myoclonus (myoclonic jerks), and dysarthria.	, ain), ental osis, tion, mia)
Sensitization:	No information available.	
Product code: B1116	Product name: BISMUTH	6 / 10

SUBGALLATE, USP

Mutagenic Effects:

No information available

Carcinogenic effects:

Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Bismuth Subgallate	99-26-3	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity	No data is available
Reproductive Effects:	No information available
Developmental Effects:	No information available
Teratogenic Effects:	No information available

Specific Target Organ Toxicity

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organs:	No information available.

12. ECOLOGICAL INFORMATION

Ecoto	kicity

Ecotoxicity effects: No data available.

Persistence and degradability:	No information available
--------------------------------	--------------------------

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Bismuth Subgallate	99-26-3	None	None	None	None

14. TRANSPORT INFORMATION

DOT

Not Regulated UN-No: **Proper Shipping Name:** Hazard Class: Subsidiary Class Packing group: Emergency Response Guide No information available Number Marine Pollutant No data available DOT RQ (lbs): **Special Provisions** Symbol(s): **Description:**

TDG (Canada)

UN-No: **Proper Shipping Name:** Hazard Class: Subsidiary Risk: Packing Group: **Marine Pollutant Description:**

ADR

UN-No: **Proper Shipping Name:** Hazard Class: Packing Group: Subsidiary Risk:

IMO / IMDG

UN-No: **Proper Shipping Name: Hazard Class:** Subsidiary Risk: Packing Group: Marine Pollutant

RID

UN-No: **Proper Shipping Name:** Hazard Class: Subsidiary Risk: Packing Group:

ICAO

UN-No: **Proper Shipping Name: Hazard Class:** Subsidiary Risk: Packing Group:

ΙΑΤΑ

UN-No: **Proper Shipping Name:** Hazard Class: Subsidiary Risk:

Product code: B1116

No information available No information available

> Not Regulated No information available No information available

> Not Regulated No information available No information available No information available No information available

Not Regulated No information available No information available No information available No information available No information available

Not Regulated No information available No information available No information available No information available

Not Regulated No information available No information available No information available No information available

Not Regulated No information available No information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Bismuth Subgallate	99-26-3	PresentACTIV E	Not present	Present	Present (9)-502	Not present	Present	Present 202-742-2

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

<u>Chemicals Known to the State of California to Cause Cancer:</u> This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
					Reproductive
				Toxicity	Toxicity:
Bismuth Subgallate	99-26-3	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Bismuth Subgallate	99-26-3	None	None	None	None	None

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Bismuth Subgallate	99-26-3	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification	Not a dangerous product according to HPR classification criteria.
Information:	

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

Inventory

Components	CAS-No.	Canada (USL)	Canada (NDSL)
Bismuth Subgallate	99-26-3	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Bismuth Subgallate	99-26-3	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Bismuth Subgallate	99-26-3	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Bismuth Subgallate	99-26-3	

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Components	CAS-No.	 Concentration Limits:	Safety Phrases
Bismuth Subgallate	99-26-3	No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None.

16. OTHER INFORMATION

Preparation Date:	6/15/2017	
Revision Date:	9/28/2018	
Prepared by:	Sonia Owen	

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet