spectrum[®]



SAFETY DATA SHEET

| Preparation Date: 10/16/2013 | Revision Date: 1/25/2018 | Revision Number: G5 | | |
|--|---|---|--|--|
| 1. IDENTIFICATION | | | | |
| Product identifier | | | | |
| Product code: Product Name: | H1035 HYDROCHLORIC ACID, REAGENT, ACS | | | |
| Other means of identification | | | | |
| Synonyms: | Muriatic Acid; Chlorohydric acid; Spirits of salt Acide chlorhydrique (French) | | | |
| CAS #: | 764701-0 | | | |
| RTECS # | MW4025000 | | | |
| CI#: | Not available | | | |
| Recommended use of the chem | nical and restrictions on use | | | |
| Recommended use: Uses advised against | In the production of chloride; refining ore in the the neutralization of basic systems; as a labora solvent in organic synthesis; for oil and gas-wel boilers and heat exchange equipment; pharmad manufacture of phosphoric acid and in the prod metal treating agent (steel pickling); in food pro manufacturer of sodium glutamate; in the manu conversion of cornstartch to syrup; in the brewin manufacture of fertilizers, dyes and dyestuffs, a electroplating, leather tanning, the photographic textile industry, in the rubber industry; in petrole operations; recovery of zinc from galvanized inc No information available | tory reagent; as a catalyst and Il treatment; in removing scale from ceutic aid (acidifier); in the luction of ammonium chloride; cessing as a startch modifier; in the ifacturer of gelatin; in the ng industry; in sugar refining; in the artifical silks, pigments for paints; in c industry, in soap refining, in the eum activation; metal cleaning | | |
| Supplier: | Spectrum Chemical Mfg. Corp 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000 | | | |
| Order Online At: Emergency telephone number Contact Person: Contact Person: | https://www.spectrumchemical.com Chemtrec 1-800-424-9300 Martin LaBenz (West Coast) Ibad Tirmiz (East Coast) | | | |
| | 2. HAZARDS IDENTIFICATION | | | |

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral

Category 4

| Acute toxicity - Inhalation (Gases) | Category 4 |
|--|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Corrosive to metals | Category 1 |

Label elements

Danger

Hazard statements

Harmful if swallowed Harmful if inhaled Causes severe skin burns and eye damage May cause respiratory irritation May be corrosive to metals



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician Absorb spillage to prevent material damage IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Product code: H1035

Product name: HYDROCHLORIC ACID, REAGENT, ACS Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | | CAS-No. | Weight % | |
|-------------------------------|---|--|--|--|
| Water | | 7732-18-5 | 62-64 | |
| Hydrogen chloride | | 7647-01-0 | 36-38 | |
| | | T AID MEASURE | | |
| | 4.1113 | T AID WILAGUNE | | |
| First aid measures | | | | |
| General Advice: | National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself. | | | |
| Skin Contact: | for at least 15 minu | Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician immediately. | | |
| Eye Contact: | Flush eyes with wa physician immediat | | nediate medical attention is required. Call a | |
| Inhalation: | respiration. WARNI mouth-to-mouth res corrosive. Do not us substance; induce a one-way valve or or | ING! It may be hazardo suscitation when the in se mouth-to-mouth res artificial respiration with | ive oxygen. If not breathing, give artificial bus to the person providing aid to give haled or ingested material is toxic, infectious or uscitation if victim ingested or inhaled the the aid of a pocket mask equipped with a medical device. Immediate medical attention is | |
| Ingestion: | Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If victim is conscious, give water or milk. Do not give Sodium Bicarbonate (Baking Soda). Immediate medical attention is required. Call a physician or Poison Control Center immediately. | | | |
| Most important symptoms and e | ffects, both acute and | delayed | | |
| Symptoms | Coughing Hoarseness of the Choking sensation Dyspnea (Shortnes Shallow respiration Can burn mouth, th May cause abdomi May cause perforat May cause salivatio Thirst May cause difficulty Discoloration and e | ory system of the respiratory tract voice as of breath and difficul uroat, and stomach nal pain, nausea, vomi tion of the digestive tra on y swallowing excessive decay of teet or rapid heart rate (Tac | ting, diarrhea ct | |
| Product code: H1035 | Product pa | | RIC 3/16 | |

May cause chemical burns to the respiratory tract May cause inflammation of the lungs (pneumonitis) May cause inflammation and edema of the larynx and bronchi

Indication of any immediate medical attention and special treatment needed

Notes to Physician:

Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media Suitable Extinguishing Media:

The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

Unsuitable Extinguishing Media:

Specific hazards arising from the chemical

Hazardous Combustion Products:

Specific hazards:

No information available.

No information available.

Contact with metals may evolve flammable hydrogen gas. Calcium carbide reacts with hydrogen chloride gas with incandescence. Uranium phosphide reacts with hydrochloric acid to release spontaneously flammable phosphine. Rubidium acetylene carbide burns with slightly warm Hydrochloric acid. Lithium silicide in contact with hydrogen chloride becomes incandescent. When dilute hydrochloric acid is used, gas that is spontaneously flammable in air is evolved. Magnesium boride treated with concentrated hydrochloric acid produces spontaneously flammable gas. Cesium acetylene carbide burns in hydrogen chloride gas. Cesium carbide ignites in contact with Hydrochloric acid unless acid is dilute. Hydrogen chloride in contact with the following can cause an explosion or ignition on contact, or other violent/vigorous reaction: Acetic anhydride AgCIO + CCI4 Alcohols + hydrogen cyanide, Aluminum Aluminum-titanium alloys (with HCl vapor), 2-Amino ethanol, Ammonium hydroxide, Calcium carbide Ca3P2 Chlorine + dinitroanilines (evolves gas), Chlorosulfonic acid Cesium carbide Cesium acetylene carbide, 1,1-Difluoroethylene Ethylenediamine, Ethyleneimine, Fluorine, HCIO4 Hexalithium disilicide H2SO4 Metal acetylides or carbides, Magnesium boride, Mercuric sulfate, Oleum, Potassium permanganate, beta-Propiolactone Propylene oxide Rubidium carbide. Rubidium, acetylene carbide Sodium (with aqueous HCI), Sodium hydroxide Sodium tetraselenium, Sulfonic acid, Tetraselenium tetranitride, U3P4, Vinyl acetate. Silver perchlorate with carbon tetrachloride in the presence of hydrochloric acid produces trichloromethyl perchlorate which detonates at 40 deg. C.

Special Protective Actions for Firefighters

Specific Methods:

No information available.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

 Personal Precautions:
 Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk.

Methods for cleaning up Neutralize with Sodium carbonate or Sodium bicarbonate. Dilute with water. Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a suitable chemical waste container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. May corrode metallic surfaces. Do not store in uncoated metallic containers. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents Metals Alkalis Organic materials Water

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

| Components | CAS-No. | OSHA | NIOSH | ACGIH | AIHA WEEL |
|-------------------|-----------|----------------------------------|----------------------------------|---------------|-----------|
| Water | 7732-18-5 | None | None | None | None |
| Hydrogen chloride | 7647-01-0 | 5 ppm Ceiling 7 mg/m³ Ceiling | 5 ppm Ceiling 7 mg/m³ Ceiling | 2 ppm Ceiling | None |

Canada

| Components | CAS-No. | Canada - Alberta | Canada - British Columbia | Canada - Ontario | Canada - Quebec |
|-------------------|-----------|----------------------------------|------------------------------|------------------|------------------------------------|
| Water | 7732-18-5 | None | None | None | None |
| Hydrogen chloride | 7647-01-0 | 2 ppm Ceiling 3 mg/m³ Ceiling | 2 ppm Ceiling | 2 ppm Ceiling | 5 ppm Ceiling 7.5 mg/m³ Ceiling |

Australia and Mexico

| Components | CAS-No. | Australia | Mexico |
|-------------------|-----------|-----------|----------------------------------|
| Water | 7732-18-5 | None | None |
| Hydrogen chloride | 7647-01-0 | None | 5 ppm Ceiling 7 mg/m³ Ceiling |

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

| Eye protection: | Face-shield and Goggles |
|---------------------------|--|
| Skin and body protection: | Chemical resistant protective suit Gloves Boots |
| Respiratory protection: | Vapor respirator. Be sure to use an approved/certified respirator or equivalent. |
| Hygiene measures: | Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state: | Appearance: | Color: | |
|------------------------------------|-----------------------------------|----------------------------|---|
| Liquid | No information available. | Colorless. Light yellow. | |
| Odor: | Taste | Formula: | |
| Pungent. Irritating. | No information available. | HCI | |
| Molecular/Formula weight (g/mole): | Flammability: | Flashpoint (°C/°F): | |
| No information available | No information available | No information available. | |
| Flash Point Tested according to: | Autoignition Temperature (°C/°F): | Lower Explosion Limit (%): | |
| Not available | No information available | No information available | |
| Upper Explosion Limit (%): | | | |
| Product code: H1035 | Product name: HYDROCHLORIC | | 6 |

ACID, REAGENT, ACS

| No information available | Melting point/range(°C/°F): -62.25°C (-80°F) (20.69% HCl in water) -46.2 C (31.24% HCl in water) -25.4 C (39.17% HCl in water) | Decomposition temperature(°C/°F): No information available |
|--|---|--|
| Boiling point/range(°C/°F): 108.58 C @ 760 mm Hg (for 20.22% HCl in water) 83 C @ 760 mm Hg (for 31% HCl in water) 50.5 C (for 37% HCl in water) | Bulk density: No information available | Density (g/cm3): No information available |
| Specific gravity: 1.1- 1.19 (Water = 1) 1.10 (20%and 22% HCI solutions) 1.12 (24% HCI solution) 1.15 (29.57% HCI solution) 1.16 (32% HCI solution) 1.186 - 1.19 (37% and 38%HCI solutions) | pH: No information available | Vapor pressure @ 20°C (kPa): No information available |
| Evaporation rate: No information available | Vapor density: 1.267 | VOC content (g/L): No information available |
| Odor threshold (ppm): 0.25 to 10 ppm | Partition coefficient (n-octanol/water): No information available | Viscosity: No information available |
| Miscibility: No information available | Solubility: Soluble in Ether | |

10. STABILITY AND REACTIVITY

Reactivity

For Hydrogen chloride or concentrated Hydrochloric Acid:

Reacts with most metals to produce flammable Hydrogen gas.

Sodium reacts very violently with gaseous hydrogen chloride.

Calcium phosphide and Hydrochloric acid undergo a very energetic reaction.

Hydrogen chloride reacts with oxidizers releasing chlorine gas.

Hydrogen chloride gas is emitted when Hydrochloric acid comes in contact with Sulfuric acid.

Soluble in Water

Adsorption of Hydrochloric acid onto Silicon dioxide results in exothermic reaction.

Hydrogen chloride causes aldehydes and epoxides to violently polymerize.

Reacts violently with bases, oxidizers forming toxic chlorine gas.

Reacts, often violently or vigorously or exothermically, with acetic anhydride, active metals, aliphatic amines, alkanolamines, alkylene oxides, aromatic amines, amides, 2-aminoethanol, ammonia, ammonium hydroxide, calcium phosphide, chlorosulfonic acid, ethylene diamine, ethyleneimine, epichlorohydrin, isocyanates, metal acetylides, oleum, organic anhydrides, perchloric acid, 3-propiolactone, uranium phosphide, sulfuric acid, vinyl acetate, vinylidene fluoride, alcohols + hydrogen cyanide, Aluminum phosphide, Aluminum-titanium alloys, 2-Amino ethanol, Ammonium hydroxide, Ammonium, 1,4-Benzoquinone diimine, Cesium telluroacylated, Chlorine + dinitroanilines, Chloroacetaldehyde oxime, Cyanogen chloride, 1,1-Difluoroeethylene, dinitroanilines, Ethylene, Ethyl 2-formylpropionate oxime, Hexalithium disilicide, Hydrogen peroxide, Methyl vinyl ether, Nitric acid + glycerol, Potassium, Potassium permanganate, beta-Propiolactone, Propylene oxide, Rubidium acetylide, Silver chlorite, Sodium 2-allyloxy-6-nitrophenylpyruvate oxime, Sodium hydroxide, Sodium teranitride, 2,4,6-Tri(2-acetylhydrazino)-1,3,5-trinitrobenzene, Sulfonic acid, Cesium cyanotridecahydrodecarborate(2-), Potassium ferricyanide, Vinylidene fluoride, Potassium ferrocyanide, Ammonium hexacyanoferrate (II).

Reaction with oxidizers such as permanganates, chlorates, chlorites, and hypochlorites may produce chlorine or bromine gas. Reacts vigorously with alkalies and with many organic materials.

Cesium acetylene carbide burns in hydrogen chloride gas.

Lithium silicide in contact with hydrogen chloride becomes incandescent.

Magnesium boride in contact with concentrated hydrochloric acid produces spontaneously flammable gas.

Rubidium acetylene carbide burns with slightly warm hydrochloric acid.

Rubidium carbide ignites in contact with hydrochloric acid unless acid is dilute.

Product name: HYDROCHLORIC ACID, REAGENT, ACS Uranium phosphide reacts with hydrochloric acid to release spontaneously flammable phosphine. Calcium carbide reacts with hydrogen chloride gas with incandescence. Absorption of gaseous hydrogen chloride on mercuric sulfate becomes violent @ 125 deg C. Reaction of silver perchlorate with carbon tetrachloride in presence of small amount of hydrochloric acid produces trichloromethyl perchlorate, which detonates @ 40 deg C. Cesium carbide ignites in contact with hydrochloric acid unless acid is dilute. Hydrochloric acid in the presence of alcohol and glycols results in dehydration reactions. Hydrogen chloride gas can react with formaldehyde to form bis(chloromethyl)ether, a human carcinogen. Exothermic reaction with water Attacks some plastics, rubber, and coatings. **Chemical stability** Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

| Conditions to avoid: | Stable at normal conditions. |
|--|--|
| Incompatible Materials: | Oxidizing agents Metals Alkalis Organic materials Water |
| Hazardous decomposition products: | Hydrogen chloride gas. Hydrogen. Hydrogen, by reaction with metals. |
| <u>Other Information</u> Corrosivity: | Severe corrosive effect on 304 Stainless Steel Severe corrosive effect on 316 Stainless Steel Severe corrosive effect on Copper and copper alloys Severe corrosive effect on Bronze Severe corrosive effect on Brass |

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Inhalation. Ingestion.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (inhalation-gas)4115-7810 ppm; (4-hr)Component Information4115-7810 ppm; (4-hr)

| Water | | |
|--|-----------------|--|
| CAS-No. | 7732-18-5 | |
| LD50/oral/rat = > 90 mL/kg Oral | al LD50 Rat | |
| LD50/oral/mouse = No informa | ation available | |
| LD50/dermal/rabbit = No information available | | |
| LD50/dermal/rat = No information available | | |
| LC50/inhalation/rat = No information available | | |
| | | |

LC50/inhalation/mouse = No information available **Other LD50 or LC50information** = No information available

| Hydrogen chloride | non = No Information available | | | |
|---|---|--|--|--|
| CAS-No. | | | | |
| LD50/oral/rat = 238 - 277 mg | /kg Oral LD50 Rat | | | |
| 700 mg/kg (test substance: 31.5% hydrochloric acid solution) | | | | |
| LD50/oral/mouse = No inform | | | | |
| | mg/kg (Test substance: 31.5% hydrochloric acid solution - from European | | | |
| Chemicals Bureau IUCLID da LD50/dermal/rat = No inform | , | | | |
| LC50/inhalation/rat = 3124 g | | | | |
| 1562 ppm 4 h | | | | |
| 1.68 mg/L Inhalation LC50 Ra | | | | |
| LC50/inhalation/mouse = 1 ² | | | | |
| Other ED50 of EC50Information | tion = 900 mg/kg oral LD50 Rabbit (no information on test substance) | | | |
| Product Information | | | | |
| LD50/oral/rat = | | | | |
| VALUE- Acute Tox Oral = 700 | mg/kg | | | |
| LD50/oral/mouse = | | | | |
| Value - Acute Tox Oral = No inf | ormation available | | | |
| LD50/dermal/rabbit | | | | |
| VALUE-Acute Tox Dermal = > | 5010 mg/kg | | | |
| LD50/dermal/rat | | | | |
| VALUE -Acute Tox Dermal = N | o information available | | | |
| LOE0/inchelation/not | | | | |
| LC50/inhalation/rat VALUE-Vapor = No information | available | | | |
| VALUE-Gas = No information av | | | | |
| VALUE-Dust/Mist = No informat | | | | |
| LC50/Inhalation/mouse | | | | |
| VALUE-Vapor = No information | available | | | |
| VALUE - Gas = No information a | | | | |
| VALUE - Dust/Mist = No information | ation available | | | |
| Symptoms_ | | | | |
| Skin Contact: | Causes severe irritation and burns. | | | |
| Eye Contact: | Causes severe irritation and burns. | | | |
| Inhalation | Harmful by inhalation. Hydrochloric acid is extremely destructive to tissue of the | | | |
| Innalation | mucous membranes and upper respiratory tract. Inhalation of hydrochloric acid | | | |
| | fumes produces nose, throat, and laryngeal irritation, and burning, pain and | | | |
| | inflammation, coughing, sneezing, choking sensation, hoarseness, laryngeal | | | |
| | spasms, upper respiratory tract edema, chest pains, as well has headache, and | | | |
| | palpitations. Inhalation of high concentrations can result in corrosive burns, necrosis of bronchial epithelium, constriction of the larynx and bronchi, nasoseptal | | | |
| | perforation, glottal closure, dyspnea, bronchitis. Chemical pneumonitis and | | | |
| pulmonary edema can also occur, particularly if exposure is prolonged. May affect | | | | |
| | the liver. | | | |
| Ingestion | Harmful if swallowed. Causes irritation and burning, ulceration, or perforation of | | | |
| Product code: 14005 | | | | |
| Product code: H1035 | Product name: HYDROCHLORIC 9/16 ACID, REAGENT, ACS | | | |
| | | | | |

| | the gastrointestinal tract and resultant peritonitis, gastric hemorrhage and infection. Can also cause nausea, vomitting (with "coffee ground" emesis), diarrhea, thirst, difficulty swallowing, salivation, chills, fever, uneasiness, shock, strictures and stenosis (esophogeal, gastric, pyloric). May affect behavior (excitement), the cardiovascular system (weak rapid pulse, tachycardia), respiration (shallow respiration), and urinary system (kidneys- renal failure, nephritis). Acute ingestion can also cause erosion of tooth enamel. |
|-------------------------------|---|
| Aspiration hazard | No information available. |
| Delayed and immediate effects | as well as chronic effects from short and long-term exposure |
| Chronic Toxicity | Prolonged or repeated inhalation and/or ingestion may affect liver, and cause bleeding of nose and gums, nasal and oral mucosal ulceration, conjunctivitis. It may also affect respiratory tract (changes in pulmonary function, chronic bronchitis, overt respiratory tract abnormalities), teeth (yellowing of teeth and erosion of tooth enamel), kidneys, and behavior/central nervous system (muscle contraction or spasticity).Prolonged or repeated skin contact may cause dermatitis.Prolonged or repeated eye contact with vapor/mist can cause conjunctivitis. |
| Sensitization: | No information available. |
| Mutagenic Effects: | Animal experiments showed mutagenic effects Cytogenetic Analysis - chromosome aberration test (Chinese Hamster ovary): Genotoxic effects were observed |

| Carcin | oaenic | effects: |
|--------|--------|----------|
| Garcin | ogenie | chicola. |

Not considered carcinogenic.

| Components | CAS-No. | IARC | ACGIH - Carcinogens | NTP | OSHA HCS - Carcinogens | Australia - Notifiable Carcinogenic Substances | Australia - Prohibited Carcinogenic Substances |
|-------------------|-----------|--------------------------------|------------------------|------------|---------------------------|---|---|
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed | Not listed |
| Hydrogen chloride | | classifiable - Monograph 54 | Classifiable as | Not listed | Not listed | Not listed | Not listed |

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

| Reproductive toxicity | No data is available |
|---|---|
| Reproductive Effects: Developmental Effects: | No information available No information on developmental toxicity effects on humans was found An increase in postnatal mortality was seen in experiments where rats were exposed to Hydrogen Chloride for 1 hour |
| Teratogenic Effects: | No information available |

Specific Target Organ Toxicity

| STOT - single exposure | No information available. |
|--------------------------|---------------------------------|
| STOT - repeated exposure | No information available. |
| Target Organs: | Skin. Eyes. Respiratory system. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Ecotoxicity effects: | Aquatic environment. |
|--|--|
| Hydrogen chloride - 7647-01-0 Freshwater Fish Species Data: Water Flea Data: | 282 mg/L LC50 Gambusia affinis 96 h 862 mg/L LC50 Leuciscus idus <56 mg/L LC50 Daphnia magna 72h |
| Persistence and degradability: | No information available |
| Bioaccumulative potential: | No information available. |
| Mobility: | No information available. |

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

| Components | CAS-No. | RCRA - F Series Wastes | RCRA - K Series Wastes | RCRA - P Series Wastes | RCRA - U Series Wastes |
|-------------------|-----------|---------------------------|---------------------------|---------------------------|---------------------------|
| Water | 7732-18-5 | None | None | None | None |
| Hydrogen chloride | 7647-01-0 | None | None | None | None |

14. TRANSPORT INFORMATION

| DOT | |
|--------------------------|--|
| UN-No: | UN1789 |
| Proper Shipping Name: | Hydrochloric acid |
| Hazard Class: | 8 |
| Subsidiary Class | No information available |
| Packing group: | |
| Emergency Response Guide | 157 |
| Number | Course Marine Dellutent |
| Marine Pollutant | Severe Marine Pollutant |
| DOT RQ (lbs): | No information available |
| Special Provisions | A3, A6, B3, B15, IB2, N41, T8, TP2 |
| Symbol(s): | [DOT]: (R5) - Identifies a material that is a hazardous substance that has a reportable quantity (RQ) of 5000 pounds (2270 Kilograms). |
| Description: | UN1789, Hydrochloric acid solution, 8, II |
| TDG (Canada) | |
| UN-No: | UN1789 |
| Proper Shipping Name: | Hydrochloric acid |
| Hazard Class: | 8 |
| Subsidiary Risk: | No information available |
| Packing Group: | I |
| Marine Pollutant | No Information available |
| Product code: H1035 | Product name: HYDROCHLORIC 1 ACID, REAGENT, ACS |

| Description: | UN1789, Hydrochloric acid solution, 8, II |
|---|--|
| ADR UN-No: Proper Shipping Name: Hazard Class: Packing Group: Subsidiary Risk: Special Provisions Description: | UN1789 Hydrochloric acid 8 II No information available 520 UN1789, Hydrochloric acid solution, 8, II |
| IMO / IMDG UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant EMS: Description | UN1789 Hydrochloric acid 8 No information available II No information available F-A UN1789, Hydrochloric acid solution, 8, II |
| RID UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Special Provisions Description: | UN1789 Hydrochloric acid 8 8 II 520 UN1789, Hydrochloric acid solution, 8, II |
| ICAO UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Description: Special Provisions | UN1789 Hydrochloric acid 8 No information available II UN1789, Hydrochloric acid solution, 8, II A3 |
| IATA UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: ERG Code: Special Provisions Description: | UN1789 Hydrochloric acid 8 No information available II 8L No information available UN1789, Hydrochloric acid solution, 8, II |

15. REGULATORY INFORMATION

International Inventories

| Components | CAS-No. | U.S. TSCA | KOREA KECL | Philippines (PICCS) | Japan ENCS | CHINA | Australia (AICS) | EINECS-No. |
|-------------------|-----------|---------------------|---------------------|------------------------|-------------|---------|---------------------|----------------------|
| Water | 7732-18-5 | Present(ACTI VE) | Present KE-35400 | Present | Not present | Present | Present | Present 231-791-2 |
| | | • =/ | | | | | | |
| Hydrogen chloride | 7647-01-0 | PresentACTIV | Present | Present | Present | Present | Present | Present |
| | | E | KE-20189 | | (1)-215 | | | 231-595-7 |

U.S. Regulations

Hydrogen chloride Massachusetts RTK: Present Massachusetts EHS: extraordinarily hazardous New Jersey RTK Hazardous Substance List: 1012 New Jersey (EHS) List: 1012 500 lb TPQ 2909 500 lb TPQ New Jersey - Discharge Prevention - List of Hazardous Substances: Present New Jersey TCPA - EHS: 15000lbTQ 5000lbTQ 5600lbTQ 2000lbTQ Pennsylvania RTK: Environmental hazard Pennsylvania RTK - Environmental Hazard List Present Michigan PSM HHC: = 5000 lb TQ Minnesota - Hazardous Substance List: Present New York Release Reporting - List of Hazardous Substances: 5000 lb RQ 100 lb RQ Louisana Reportable Quantity List for Pollutants: 5000lbfinal RQAs listed in 40 CFR 117.3 Table 117.3 and 40 CFR 302.4 Table 302.4 2270kgfinal RQAs listed in 40 CFR 117.3 Table 117.3 Table 117.3 and 40 CFR 302.4 Table 302.4 5000lbRQAs listed in Louisiana Administrative Code, Title 33, Part 1, Subpart 2, Chapter 39, Subchapter E. Applies to unauthorized emissions based on total mass emitted into or onto all media within any consecutive 24-hour period 1000lbRQAs listed in Louisiana Administrative Code, Title 33, Part 1, Subpart 2, Chapter 39, Subchapter E. Applies to unauthorized emissions based on total mass emitted into the atmosphere California Directors List of Hazardous Substances: Present FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 182.1057 FDA - 21 CFR - Total Food Additives 133.129, 155.191, 155.194, 160.105, 160.185, 172.560, 172.892, 182.1057

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

| Components | CAS-No. | Carcinogen | Developmental Toxicity | Reproductive | Female Reproductive Toxicity: |
|-------------------|-----------|------------|------------------------|--------------|-------------------------------------|
| Water | 7732-18-5 | Not Listed | Not Listed | Not Listed | Not Listed |
| Hydrogen chloride | 7647-01-0 | Not Listed | Not Listed | Not Listed | Not Listed |

CERCLA/SARA

| Components | CAS-No. | CERCLA - Hazardous Substances and their Reportable Quantities | Section 302 Extremely Hazardous Substances and TPQs | Section 302 Extremely Hazardous Substances and RQs | Section 313 - Chemical Category | Section 313 - Reporting de minimis |
|-------------------|-----------|---|---|--|------------------------------------|--|
| Water | 7732-18-5 | None | None | None | None | None |
| Hydrogen chloride | 7647-01-0 | | 5000 lb EPCRA RQ | None | | 1.0 % de minimis concentration |

U.S. TSCA

| Components | | TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS) | TSCA 8(d) -Health and Safety Reporting |
|-------------------|-----------|---|---|
| Water | 7732-18-5 | Not Applicable | Not Applicable |
| Hydrogen chloride | 7647-01-0 | Not Applicable | Not Applicable |

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Water 7732-18-5 (62-64) Hydrogen chloride 7647-01-0 (36-38) WHMIS 2015 Hazard Classification Not a dangerous product according to HPR classification criteria

Hydrogen Chloride: Gases under pressure - Liquefied gas: H280 Contains gas under pressure, may explode when heated .: Corrosive to Metals - Category 1: H290 May be corrosive to metals. (potentially corrosive to metals; the supplier should be contacted for more information); Acute toxicity - Inhalation -Category 3: H331 Toxic if inhaled.; Health Hazard Not Otherwise Classified - Category 1: Causes severe damage to the respiratory tract; Skin corrosion/irritation - Category 1: H314 Causes severe skin burns and eye damage.; Serious Eye Damage/Eye Irritation -Category 1: H318 Causes serious eye damage. Hydrochloric Acid: Corrosive to Metals - Category 1: H290 May be corrosive to metals. (potentially corrosive to metals; the supplier should be contacted for more information); Acute toxicity -Oral - Category 4: H302 Harmful if swallowed. (3.6% in aqueous solution); Acute toxicity - Inhalation - Category 2: H330 Fatal if inhaled.; Health Hazard Not Otherwise Classified - Category 1: Causes severe damage to the respiratory tract; Skin corrosion/irritation - Category 1: H314 Causes severe skin burns and eye damage.; Skin corrosion/irritation - Category 2: H315 Causes skin irritation. (3.6% in aqueous solution); Serious Eye Damage/Eye Irritation - Category 1: H318 Causes serious eye damage.; Serious Eye Damage/Eye Irritation - Category 2: H319 Causes serious eye irritation. (3.6% in aqueous solution)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

D1A Very toxic materials D1B Toxic materials E Corrosive material

Components Water

Hydrogen chloride

WHMIS 1988 Uncontrolled product according to WHMIS classification criteria A,D1A,E D1A,E E 0.036% in aqueous solution, 0.36% in aqueous solution, 3.6% in aqueous solution D1B,E 28% in aqueous solution D1A,E 31.45% in aqueous solution, 35.2% in aqueous solution

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

| Components | WHMIS Ingredient Disclosure List - |
|-------------------|------------------------------------|
| Hydrogen chloride | 1 % |

Inventory

| Components | CAS-No. | | Canada (DSL) | | Canada (NDSL) |
|-------------------|-----------|-----------|--------------|----------|-------------------------------|
| Water | 7732-18-5 | | Present | | Not Listed |
| Hydrogen chloride | 7647-01-0 | | Present | | Not Listed |
| | | | | | |
| Components | | CAS-No. | | CEPA | Schedule I - Toxic Substances |
| Water 7732- | | 7732-18-5 | | Not list | ed |

| Hydrogen chloride | 7647-01-0 | Not listed |
|-------------------|-----------|---|
| Components | | CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting |
| Water | 7732-18-5 | Not listed |
| Hydrogen chloride | 7647-01-0 | Not listed |

EU Classification

EU GHS - SV - CLP 1272/2008

| Components | CAS-No. | EU GHS - SV - CLP (1272/2008) |
|-------------------|-----------|--|
| Water | 7732-18-5 | |
| Hydrogen chloride | 7647-01-0 | Hydrogen Chloride: Gases under pressure: H280 Contains gas under pressure, may explode when heated.; Acute toxicity - Inhalation - Acute Tox. 3: H331 Toxic if inhaled. (Minimum classification); Skin corrosion/irritation - Skin Corr. 1A: H314 Causes severe skin burns and eye damage.017-002-00-2 Hydrochloric Acid: Skin corrosion/irritation - Skin Corr. 1B: H314 Causes severe skin burns and eye damage. (C >= 25 %); Specific target organ toxicity - Single exposure - STOT SE 3: H335 May cause respiratory irritation. (C >= 10 %)017-002-01-X Skin corrosion/irritation - Skin Corr. 1B: H314 Causes severe skin burns and eye damage. (C >= 25 %); Skin corrosion/irritation - Skin Corr. 1B: H314 Causes severe skin burns and eye damage. (C >= 25 %); Skin corrosion/irritation - Skin Irrit. 2: H315 Causes skin irritation. (10 % <= C <25 %); Serious Eye Damage/Eye Irritation - Eye Irrit. 2: H319 Causes serious eye irritation. (10 % <= C <25 %); Specific target organ toxicity - Single exposure - STOT SE 3: H335 May cause respiratory irritation. (10 % <= C <25 %); Serious Eye Damage/Eye Irritation - Stor SE 3: H335 May cause respiratory irritation. (10 % <= C <25 %); Specific target organ toxicity - Single exposure - STOT SE 3: H335 May cause respiratory irritation. (C >= 10 %)017-002-01-X |

EU - CLP (1272/2008)

R-phrase(s)

R34 - Causes burns. R37 - Irritating to respiratory system.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S 1/2 - Keep locked up and out of the reach of children.

| Components | CAS-No. | Classification | Concentration Limits: | Safety Phrases |
|-------------------|-----------|---|--|---|
| Water | 7732-18-5 | | No information | |
| Hydrogen chloride | 7647-01-0 | Hydrogen Chloride T; R23 C; R35 Hydrochloric Acid: + hydrochloric acid % | Hydrogen Chloride: 0.02%<=C<0.2% Xi;R36/37/38 0.2%<=C<0.5% C;R34 0.5%<=C<1% | For Hydrogen Chloride: S1/2 S9 S26 S36/37/39 S45 Hydrochloric Acid: S(1/2)-S26-S45 |

| C; R34 - Xi; R37 | C;R20-34 | |
|-------------------------|-------------------|--|
| Concentration Limit(s): | 1%<=C<5% C;R20-35 | |
| C >= 25 % C; R34-37 | 5%<=C T;C;R23-35 | |
| 10 % <= C < 25 % Xi; | | |
| R36/37/38 | | |

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

C - Corrosive. Xi - Irritant.



16. OTHER INFORMATION

Preparation Date: Revision Date: Prepared by: 10/16/2013 1/25/2018 Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet