



# SAFETY DATA SHEET

Preparation Date: 12/16/2015 Revision Date: 12/16/2015 Revision Number: G1

1. IDENTIFICATION

**Product identifier** 

Product code: M1293

Product Name: LIGHT MINERAL OIL, NF

Other means of identification

Synonyms: No information available

CAS #: 8042-47-5
RTECS # PY8047000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Lubricant. Medication.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

# 2. HAZARDS IDENTIFICATION

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

# Label elements

Not classified	

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Product code: M1293 Product name: LIGHT MINERAL OIL, 1/11

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Light Mineral Oil	8042-47-5	100	*
8042-47-5			

### 4. FIRST AID MEASURES

First aid measures

General Advice: Poison information centers in each State capital city can provide additional

assistance for scheduled poisons (13 1126)

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye irritation. May cause skin irritation. Thirst. May cause diarrhea. Vomiting. May

cause abdominal discomfort.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon monoxide; Carbon dioxide

Specific hazards: May be combustible at high temperatures

**Special Protective Actions for Firefighters** 

Product code: M1293 Product name: LIGHT MINERAL OIL. 2/11

Specific Methods: For large fires, flood fire area with water from a distance. For

larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

nooding quantities of water until well after life is out.

As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes

and clothing. Remove all sources of ignition.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

# Methods and material for containment and cleaning up

**Special Protective Equipment for Firefighters:** 

**Methods for containment**Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite,

dry sand or earth).

Methods for cleaning up

Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a

suitable chemical waste container. Clean contaminated surface thoroughly.

### 7. HANDLING AND STORAGE

# Precautions for safe handling

### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Remove all sources of ignition. Keep away from incompatible materials.

### Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not ingest. Do not smoke. Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

# Conditions for safe storage, including any incompatibilities

### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Protect from light. Sensitive to light. Store in light-resistant containers. Store under nitrogen.

## **Incompatible Materials:**

Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

# National occupational exposure limits

# **United States**

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Light Mineral Oil	None	None	None	None
8042-47-5				

#### Canada

Product code: M1293 Product name: LIGHT MINERAL OIL, 3 / 11

Components	Alberta	British Columbia	Ontario	Quebec
Light Mineral Oil	None	None	None	None
8042-47-5				

#### **Australia and Mexico**

Components	Australia	Mexico
Light Mineral Oil	None	None
8042-47-5		

# Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Provide exhaust ventilation or

other engineering controls to keep the airborne

concentrations of vapors and mist below their respective

threshold limit value.

## Individual protection measures, such as personal protective equipment

**Personal Protective Equipment** 

**Eye protection:** Goggles.

**Skin and body protection:** Chemical resistant apron. Long sleeved clothing. Gloves.

**Respiratory protection:** Respiratory protection is not necessary for normal handling. Good room ventilation

or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an

approved/certified respirator or equivalent. .

**Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Product code: M1293 Product name: LIGHT MINERAL OIL, 4 / 11

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color:

Liquid Oily. Viscous. Water-white. Colorless.

Odor: Taste Formula:

Odorless. No information available No information available

Molecular/Formula weight: Flammability: Flash point (°C):

No information available No information available 93.3

Flashpoint (°C/°F): Flash Point Tested according to: Autoignition Temperature (°C/°F):

93.3 °C/200 °F Not available

Lower Explosion Limit (%): Upper Explosion Limit (%): pH:

No information available No information available No information available

Melting point/range(°C/°F): Boiling point/range(°C/°F): Decomposition temperature(°C/°F):

No information available >230°C/446°F

218-643 °C/424.4-1189 °F

Bulk density: Density (g/cm3): Specific gravity:

Vapor pressure @ 20°C (kPa): Evaporation rate: Vapor density:

<0.1 No information available No information available

VOC content (g/L):Odor threshold (ppm):Partition coefficientNo information availableNo information available(n-octanol/water):

Viscosity: Miscibility: Solubility:

3.0-34.4 mm2/s @ 40 deg. C No information available Soluble in most organic solvents

Insoluble in water

>6

No information available

No information available

# 10. STABILITY AND REACTIVITY

Reactivity

Reactive with strong oxidizing agents

**Chemical stability** 

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

**Conditions to avoid:** Heat. Ignition sources. Incompatible materials. Exposure to light.

Incompatible Materials: Strong oxidizing agents.

Hazardous decomposition products: Carbon oxides.

**Other Information** 

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product code: M1293 Product name: LIGHT MINERAL OIL, 5 / 11

# **Principal Routes of Exposure:**

Skin. Ingestion.

## **Acute Toxicity**

# **Component Information**

Light Mineral Oil - 8042-47-5

**LD50/oral/rat = >5000 mg/kg** 

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

#### **Product Information**

LD50/oral/rat =

VALUE- Acute Tox Oral = >5000mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

**VALUE -Acute Tox Dermal =** No information available

LC50/inhalation/rat

**VALUE-Vapor** = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

#### LC50/Inhalation/mouse

**VALUE-Vapor** = No information available

**VALUE - Gas =** No information available

VALUE - Dust/Mist = No information available

### **Symptoms**

**Skin Contact:** May cause skin irritation. Although this material is not known to be an irritant, it may

be midly irritating in sensitive individuals.

**Eye Contact:** May cause eye irritation. May cause slight temporary eye irritation.

**Inhalation** Not expected to be an inhalation hazard. May cause respiratory tract irritation.

Symptoms may include coughing and shortness of breath. It is not expected to be an inhalalation hazard during usual industrial handling and at ambient conditions unless it is misted or aerosolized. Caution should be taken to prevent aerosolization or misting. If aspiration occurs upon inhalation of mist or aerosol, it may lead to chemical or lipoid pneumonitis, aspiration or lipoid pneumonia, and pulmonary

edema.

Product code: M1293 Product name: LIGHT MINERAL OIL, 6/11

**Ingestion** Regarded as essentially non-toxic. May cause abdominal discomfort. May cause

stomach cramping. It can have a purging or laxative effect.. May cause vomiting. May

cause diarrhea. May cause thirst.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated ingestion may affect the liver

Prolonged or repeated ingestion may cause loss of appetite

Regular ingestion of mineral oil during pregnancy may reduce absorption of Vitamin

K and produce hypoprothrombinemia in the newborn

Heavy exposure to oil mist in the absence of adequate ventilation may cause lipoid

pneumopnia. It may also cause slight basal lung fibrosis

Sensitization: No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	IARC	ACGIH -	NTP	OSHA HCS -	Australia - Notifiable	Australia - Prohibited
-		Carcinogens		Carcinogens	Carcinogenic	Carcinogenic
				_	Substances	Substances
Light Mineral Oil	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity

No data is available

Reproductive Effects:No information availableDevelopmental Effects:No information availableTeratogenic Effects:No information available

**Specific Target Organ Toxicity** 

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available
No information available

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

**Ecotoxicity effects:** Aquatic environment.

Persistence and degradability: No information available

**Bioaccumulative potential:** No information available

Mobility: No information available

# 13. DISPOSAL CONSIDERATIONS

Product code: M1293 Product name: LIGHT MINERAL OIL, 7 / 11

# 13. DISPOSAL CONSIDERATIONS

# **Disposal Methods**

### Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

# Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal Do not re-use empty containers Dispose of as unused product.

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Light Mineral Oil	None	None	None	None

# 14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available

Packing Group: None

**ERG No:** No information available

Marine Pollutant No data available No information available

TDG (Canada)

**UN-No:** Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

ADR

**UN-No:** Not Regulated

Proper Shipping Name:
Hazard Class:
Packing Group:
Subsidiary Risk:
Classification Code:
Description:
No information available

IMO / IMDG

**UN-No:** Not Regulated

**Proper Shipping Name:** No information available **Hazard Class:** No information available **Subsidiary Risk:** No information available **Packing Group:** No information available **Description:** No information available IMDG Page: No information available Marine Pollutant No information available MFAG: No information available No information available **Maximum Quantity:** 

Product code: M1293 Product name: LIGHT MINERAL OIL, 8 / 11

# 14. TRANSPORT INFORMATION

**RID** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Classification Code:
Description:
No information available

**ICAO** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

**IATA** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

# 15. REGULATORY INFORMATION

### International Inventories

Components	U.S. TSCA	KOREA KECL		Japan ENCS	CHINA	Australia	EINECS-No.
			(PICCS)			(AICS)	
Light Mineral Oil	Not Listed	Not present					

# U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive	Female Reproductive
			Toxicity	Toxicity:
Light Mineral Oil	Not Listed	Not Listed	Not Listed	Not Listed

### **CERCLA/SARA**

Components	<b>CERCLA - Hazardous</b>	Section 302 Extremely	Section 302 Extremely	Section 313 -	Section 313 - Reporting
-	Substances and their	Hazardous	Hazardous	Chemical Category	de minimis
	Reportable Quantities	Substances and TPQs	Substances and RQs		
Light Mineral Oil	None	None	None	None	None

Product code: M1293 Product name: LIGHT MINERAL OIL, 9 / 11

# U.S. TSCA

•	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Light Mineral Oil	Not Applicable	Not Applicable

# Canada

#### WHMIS hazard class:

Non-controlled

### **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

# Inventory

Components	Canada (DSL)	Canada (NDSL)
Light Mineral Oil	Not Listed	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Manditory
		Reporting
Light Mineral Oil	Not listed	Not listed

### **EU Classification**

# R-phrase(s)

not determined (not applicable)

# S -phrase(s)

none

Components	Classification	Concentration Limits:	Safety Phrases
Light Mineral Oil		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

# Indication of danger:

None.

Product code: M1293 Product name: LIGHT MINERAL OIL, 10 / 11

# 16. OTHER INFORMATION

Preparation Date:12/16/2015Revision Date:12/16/2015Prepared by:Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: M1293 Product name: LIGHT MINERAL OIL. 11 / 11