



SAFETY DATA SHEET

Preparation Date: 12/16/2015 Revision Date: 8/13/2018 Revision Number: G2

1. IDENTIFICATION

Product identifier

Product code: MI501

Product Name: LIGHT MINERAL OIL, NF

Other means of identification

Synonyms: No information available

CAS #: 8042-47-5
RTECS # PY8047000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Lubricant. Medication. Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Aspiration toxicity Category 1

Label elements

Hazard statements

May be fatal if swallowed and enters airways



Product code: MI501 Product name: LIGHT MINERAL OIL, 1/11

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Light Mineral Oil	8042-47-5	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye irritation

May cause skin irritation

Thirst

May cause diarrhea

Vomiting

May cause abdominal discomfort

Aspiration hazard if swallowed - can enter the lungs and cause damage

Aspiration into the lungs may cause chemical pneumonitis Aspiration into the lungs may cause pulmonary edema

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

Product code: MI501 Product name: LIGHT MINERAL OIL, 2/11

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon monoxide; Carbon dioxide

Hazardous Combustion Products: No information available.

Specific hazards: May be combustible at high temperatures.

Special Protective Actions for Firefighters

Specific Methods: For large fires, flood fire area with water from a distance.

For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g.

vermiculite, dry sand or earth).

Methods for cleaning upAbsorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a

suitable chemical waste container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Remove all sources of ignition. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not ingest. Do not smoke. Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Product code: MI501 Product name: LIGHT MINERAL OIL, 3/11

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Protect from light. Sensitive to light. Store in light-resistant containers. Store under nitrogen.

Incompatible Materials:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

	Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
-	Light Mineral Oil	8042-47-5	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Light Mineral Oil	8042-47-5	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Light Mineral Oil	8042-47-5	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Chemical resistant apron

Long sleeved clothing

Gloves

Respiratory protection: Respiratory protection is not necessary for normal handling. Good room

ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to

use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

Product code: MI501 Product name: LIGHT MINERAL OIL, 4/11

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color:

Liquid Oily. Viscous. Water-white. Colorless.

Odor: Taste

Odorless. No information available. No information available

Molecular/Formula weight (g/mole): Flammability: Flash point (°C):

No information available No information available 93.3

Flashpoint (°C/°F): Flash Point Tested according to: Autoignition Temperature (°C/°F):

93.3 °C/200 °F Not available No information available

Lower Explosion Limit (%): Upper Explosion Limit (%): Melting point/range(°C/°F):

No information available
No information available
No information available

Decomposition temperature(°C/°F): Boiling point/range(°C/°F): Bulk density:

No information available >230°C/446°F No information available

218-643 °C/424.4-1189 °F

Density (g/cm3): Specific gravity: pH:

No information available 0.818-0.880 No information available

Vapor pressure @ 20°C (kPa): Evaporation rate: Vapor density:

<0.1 No information available No information available

VOC content (g/L): Odor threshold (ppm): Partition coefficient

No information available

No information available

(n-octanol/water):

ion available No information available (n-octanol/wate >6

Viscosity: Miscibility: Solubility:

3.0-34.4 mm2/s @ 40 deg. C No information available Soluble in most organic solvents

Insoluble in water

Formula:

10. STABILITY AND REACTIVITY

Reactivity

Reactive with strong oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials. Exposure to light.

<u>Incompatible Materials:</u> Strong oxidizing agents

Hazardous decomposition Carbon oxides.

products:

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

Product code: MI501 Product name: LIGHT MINERAL OIL, 5 / 11

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Ingestion.

Acute Toxicity

Component Information

Light Mineral Oil

CAS-No. 8042-47-5

LD50/oral/rat = > 5000 mg/kg Oral LD50 Rat LD50/oral/mouse = No information available LD50/dermal/rabbit = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = > 5000 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouseVALUE-Vapor = No information availableVALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation. Although this material is not known to be an irritant, it

may be midly irritating in sensitive individuals.

Eye Contact: May cause eye irritation. May cause slight temporary eye irritation.

Inhalation Not expected to be an inhalation hazard. May cause respiratory tract irritation.

Symptoms may include coughing and shortness of breath. It is not expected to be an inhalalation hazard during usual industrial handling and at ambient conditions

unless it is misted or aerosolized. Caution should be taken to prevent

aerosolization or misting. If aspiration occurs upon inhalation of mist or aerosol, it may lead to chemical or lipoid pneumonitis, aspiration or lipoid pneumonia, and

Product code: MI501 Product name: LIGHT MINERAL OIL, 6 / 11

pulmonary edema.

Ingestion Regarded as essentially non-toxic. May cause abdominal discomfort. May cause

stomach cramping. It can have a purging or laxative effect. May cause vomiting. May cause diarrhea. May cause thirst. Aspiration hazard if swallowed. Aspiration may lead to pulmonary edema. Aspiration into the lungs can cause chemical

pneumonitis.

Aspiration hazard May be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated ingestion may affect the liver. Prolonged or repeated

ingestion may cause loss of appetite. Regular ingestion of mineral oil during

pregnancy may reduce absorption of Vitamin K and produce

hypoprothrombinemia in the newborn. Heavy exposure to oil mist in the absence of adequate ventilation may cause lipoid pneumopnia. It may also cause slight

basal lung fibrosis.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

	Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Ī	ight Mineral Oil	8042-47-5	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Light Mineral Oil - 8042-47-5

Freshwater Fish Species Data: 10000 mg/L LC50 Lepomis macrochirus 96 h 1

Product code: MI501 Product name: LIGHT MINERAL OIL, 7 / 11

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

No information available. Mobility:

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal Do not re-use empty containers Dispose of as unused product.

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Light Mineral Oil	8042-47-5	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name: No information available **Hazard Class:** No information available **Subsidiary Class** No information available Packing group: No information available Emergency Response Guide No information available

Number

Marine Pollutant No data available

DOT RQ (lbs): No information available **Special Provisions** No Information available No information available Symbol(s): No information available **Description:**

TDG (Canada)

UN-No: Not Regulated

No information available **Proper Shipping Name: Hazard Class:** No information available **Subsidiary Risk:** No information available **Packing Group:** No information available **Marine Pollutant** No Information available No information available **Description:**

ADR

UN-No: Not Regulated

No information available **Proper Shipping Name: Hazard Class:** No information available **Packing Group:** No information available **Subsidiary Risk:** No information available

IMO / IMDG

UN-No: Not Regulated

No information available **Proper Shipping Name:**

8/11 Product code: MI501 Product name: LIGHT MINERAL OIL,

Hazard Class:No information availableSubsidiary Risk:No information availablePacking Group:No information availableMarine PollutantNo information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
ERG Code:
No information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Light Mineral Oil	8042-47-5	PresentACTIV E	Present KE-35412	Present	Present (9)-1692	Present	Present	Present 232-455-8

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
		_		Reproductive	Reproductive
				Toxicity	Toxicity:
Light Mineral Oil	8042-47-5	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Light Mineral Oil	8042-47-5	None	None	None	None	None

Product code: MI501 Product name: LIGHT MINERAL OIL, 9 / 11

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals	TSCA 8(d) -Health and Safety
		With Significant New Use Rules	Reporting
		(SNURS)	
Light Mineral Oil	8042-47-5	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification

Not a dangerous product according to HPR classification criteria.

Information:

Component Light Mineral Oil WHMIS 2015 Hazard Classification

Not a dangerous product according to HPR classification criteria

8042-47-5 (100)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

Non-controlled

Components Light Mineral Oil **WHMIS 1988**

Uncontrolled product according to WHMIS classification

criteria

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Light Mineral Oil	8042-47-5	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Light Mineral Oil	8042-47-5	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Light Mineral Oil	8042-47-5	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Light Mineral Oil	8042-47-5	No information

EU - CLP (1272/2008)

R-phrase(s)

Not determined

S -phrase(s)

none

Components	CAS-No.	Classification	Concentration	Safety Phrases	

Product code: MI501 Product name: LIGHT MINERAL OIL, 10 / 11

		Limits:	
Light Mineral Oil	8042-47-5	No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

not determined

16. OTHER INFORMATION

Preparation Date: 12/16/2015
Revision Date: 8/13/2018
Prepared by: Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the

completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: MI501

Product name: LIGHT MINERAL OIL, 11 / 11