# **spectrum**<sup>®</sup>



# SAFETY DATA SHEET

Preparation Date: 3/13/2015	Revision Date: 10/4/2018	Revision Number: G3		
1. IDENTIFICATION				
Product identifier				
Product code:	P1316			
Product Name:	POTASSIUM HYDROXIDE, PELLETS, FCC			
Other means of identification				
Synonyms:	Caustic Potash			
	Hydroxyde de potassium (French) Hidróxido de potasio (Spanish)			
CAS #:	1310-58-3			
RTECS #	TT2100000			
CI#:	Not available			
Recommended use of the chem	ical and restrictions on use			
Recommended use:	Electroplating; photoengraving & lithography; printir & in organic synthesis; manfufacturing of liquid soa alkalizing agent); mordant for woods; absorbing car cotton; paint & varnish removers. Principle uses of particularly the production of potassium carbonate a pesticides, fertilizers, and other agricultural product scrubbing and cleaning operations, e.g., industrial g rubber chemicals.	p; pharmaceutical aid (as bon dioxide; mercerizing KOH include chemicals, and potassium permaganate; s; soaps and detergents;		
Uses advised against	No information available			
Supplier:	Spectrum Chemical Mfg. Corp 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000			
Order Online At: Emergency telephone number Contact Person: Contact Person:	https://www.spectrumchemical.com Chemtrec 1-800-424-9300 Martin LaBenz (West Coast) Ibad Tirmiz (East Coast)			

# 2. HAZARDS IDENTIFICATION

# **Classification**

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)


Acute toxicity - Oral	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

#### Label elements

#### Danger

# Hazard statements

Toxic if swallowed Causes severe skin burns and eye damage May be corrosive to metals



# Hazards not otherwise classified (HNOC)

Not Applicable

# Other hazards

Reacts with water to evolve heat

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

# **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Absorb spillage to prevent material damage IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Do NOT induce vomiting **Precautionary Statements - Storage** Store locked up

# Store in corrosive resistant/ .? container with a resistant inner liner

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Components	CAS-No.	Weight %
Potassium Hydroxide	1310-58-3	100

# 4. FIRST AID MEASURES

First aid measures

<u></u>		
General Advice:	National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself.	
Skin Contact:	Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician immediately.	
Eye Contact:	Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.	
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Call a physician immediately.	
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If victim is conscious, give water or milk. Immediate medical attention is required. Call a physician or Poison Control Center immediately.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	Severe skin and eye irritation or burns Causes digestive (gastrointestinal) tract irritation May cause gastrointestinal (digestive) tract burns May cause abdominal pain, nausea, vomiting, diarrhea Causes chemical burns to the respiratory tract May cause inflammation of the lungs (pneumonitis) May cause pulmonary edema Coughing Dyspnea (Shortness of breath and difficulty breathing)	
Indication of any immediate medica	al attention and special treatment needed	
Notes to Physician:	Treat symptomatically.	
<u>Protection of first-aiders</u> First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.		
5. FIRE-FIGHTING MEASURES		

Extinguishing Media Suitable Extinguishing Media:

The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

Unsuitable Extinguishing Media:

No information available.

Specific hazards arising from the chemical

**Hazardous Combustion Products:** 

Specific hazards:

Special Protective Actions for Firefighters

**Specific Methods:** 

Special Protective Equipment for Firefighters:

No information available.

No information available.

No information available.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions:	Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for contai	nment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.
Methods for cleaning up	Sweep up and shovel. Use appropriate tools to put the spilled solid in a suitable waste disposal container. Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

# **Technical Measures/Precautions:**

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

# Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors/dust. Handle in accordance with good industrial hygiene and safety practice.

# Conditions for safe storage, including any incompatibilities

# **Technical Measures/Storage Conditions:**

Deliquescent. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

# Incompatible Materials:

Oxidizing agents Acids Metals Powdered metals Organic materials Water Alcohols Halogens

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

#### National occupational exposure limits

#### **United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Potassium Hydroxide	1310-58-3	None	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling	None

#### Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Potassium Hydroxide	1310-58-3	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling

#### Australia and Mexico

Components	CAS-No.	Australia	Mexico
Potassium Hydroxide	1310-58-3	None	None

#### Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

# **Personal Protective Equipment**

Eye protection:	Goggles or Face-shield.
Skin and body protection:	Chemical resistant apron Long sleeved clothing Gloves Boots
Respiratory protection:	Wear respirator with dust filter.
Hygiene measures:	Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid Appearance: Pellets. Flakes. Color: Colorless.

Odor:

Product code: P1316

Odorless.

Molecular/Formula weight (g/mole): Flammability: 56.11 No information

Flash Point Tested according to: Not available

Upper Explosion Limit (%): No information available

**Boiling point/range(°C/°F):** No information available

Specific gravity: 2.044

**Evaporation rate:** No information available

Odor threshold (ppm): No information available

Miscibility: No information available Taste No information available. Flammability: No information available

Autoignition Temperature (°C/°F): No information available

Melting point/range(°C/°F): 380 °C/716 °F

Bulk density: No information available

pH: 13 (1% solution)

Vapor density: No information available

Partition coefficient (n-octanol/water): No information available

**Solubility:** Easily soluble in water Insoluble in diethyl ether Formula: KOH Flashpoint (°C/°F): No information available.

Lower Explosion Limit (%): No information available

**Decomposition temperature(°C/°F):** 1384 °C/2523 °F

**Density (g/cm3):** No information available

Vapor pressure @ 20°C (kPa): No information available

**VOC content (g/L):** No information available

Viscosity: No information available

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Reacts violently with acids, halogens, halogenated hydrocarbons, maleic anhydride, organic anhydrides, isocyanates, alkylene oxides, epichlorhydrin, aldehydes, alcohols, gylcols, phenols, cresols, caprolactum solution. Also incompatible with nitro compounds (nitrobenzene, nitromethane, nitrogen trichloride), organic materials, acid anhydrides, acid chlorides, magnesium, peroxidized tetrahydrofuran, trichlorethylene, chlorine dioxide, maleic dicarbide, sugars. Solid potassium hydroxide in contact with moisture or water may generate sufficient heat to ignite combustible materials. When wet attacks metals such as aluminum, tin, lead, and zinc.Violent reaction or ignition under appropriate conditions with acids, alcohols, p-bis(1,3-dibromoethyl) benzene, cyclopentadiene, germanium, hyponitrous acid, maleic anhydride, nitroalkanes, 2-nitrophenol, potassium peroxodisulfate, sugars, 2,2,3,3-tetrafluoropropanol, thorium dicarbide. Molten ortho -nitrophenol reacts violently with potassium hydroxide. When potassium hydroxide and tetrachloroethane are heated, a spontaneously flammable gas, chloroacetylene, is formed.When phosphorus is boiled in a solution of potassium hydroxide, phosphine gas is evolved which is spontaneously flammable.1.2-Dichloroethylene and Potassium hydroxide reaction produces chloroacetylene which is spontaneouslyflammable in air.Potassium Persulfate and a little Potassium hydroxide and water will ignite.When wet, attacks metals such as aluminum, tin, lead, and zinc, producing flammable hydrogen gas. When heated to decomposition it emits toxic fumes of K2O. Potentially explosive reaction with bromoform + crown ethers, chlorine dioxide, nitrobenzene, nitromethane, nitrogen trichloride, peroxidized tetrahydrofuran, 2.4,6-trinitrotoluene.Reaction with ammonium hexachloroplatiate(2-) + heat forms heat sensitive explosive product.Potassium hydroxide will cause explosive decomposition of maleic anhydride.Detonation will occur when potassiuim hydroxide is mixed with n-methyl-nitroso urea and methylene chloride.Nitrogen trichloride explodes on contact with potassium hydroxide.WHEN HEATED, TRICHLOROETHYLENE & POTASSIUM HYDROXIDE FORMS EXPLOSIVE MIXTURE OF DICHLOROACETYLENE.NITROGEN TRICHLORIDE EXPLODES ON CONTACT WITH CONCENTRATED POTASSIUM HYDROXIDE.

Chemical stability	
Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	_Hazardous polymerization does not occur
Conditions to avoid:	Exposure to moisture. Exposure to moist air. Incompatible materials.
Incompatible Materials:	Oxidizing agents
Product code: P1316	Product name: POTASSIUM

HYDROXIDE, PELLETS, FCC

	Acids Metals Powdered metals Organic materials Water Alcohols Halogens halogenated hydrocarbons Acid anhydrides Acid chlorides Nitro compounds
Hazardous decomposition products:	No information available.
Other Information Corrosivity:	Extremely corrosive in presence of aluminum, brass, and zinc. Slightly corrosive in presence of copper, of stainless steel(304). Non-corrosive in presence of stainless steel(316).

Special Remarks on Corrosivity: Severe corrosive effect on brass and bronze.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

**Principal Routes of Exposure:** Eyes. Skin. Ingestion. Inhalation.

Acute Toxicity

#### **Component Information**

Potassium Hydroxide	
CAS-No.	1310-58-3
LD50/oral/rat = 284 mg/	kg Oral LD50 Rat
LD50/oral/mouse = No i	nformation available
LD50/dermal/rabbit = N	o information available
LD50/dermal/rat = No in	formation available
LC50/inhalation/rat = No	o information available
LC50/inhalation/mouse	No information available
Other LD50 or LC50info	rmation = No information available
Product Information	
LD50/oral/rat = VALUE- Acute Tox Oral = 2	214 mg/kg
LD50/oral/mouse = Value - Acute Tox Oral = N	o information available
LD50/dermal/rabbit	

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat VALUE -Acute Tox Dermal = No information available

Product code: P1316

**Product name:** POTASSIUM HYDROXIDE, PELLETS, FCC

LC50/inhalation/rat VALUE-Vapor = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse VALUE-Vapor = No information a VALUE - Gas = No information a VALUE - Dust/Mist = No informa	vailable
<u>Symptoms</u>	
Skin Contact:	Severe skin irritation. Causes skin burns.
Eye Contact:	Severe eye irritation. Causes eye burns. May cause permanent injury.
Inhalation	Irritating to respiratory system. Inhalation of mist or vapor can cause severe irritation and burns of the respiratory tract and mucous membranes, coughing, difficulty breathing. Irritation may lead to chemical pneumonitis, and pulmonary edema.
Ingestion	Toxic if swallowed. May cause severe and permanent damage to the digestive tract. Causes severe irritation and burns of the gastrointestinal (digestive) tract with abdominal pain, vomiting, bloody diarrhea, cardiovascular collapse, and possible death. May cause perforation of the digestive tract.
Aspiration hazard	No information available.
Delayed and immediate effects	as well as chronic effects from short and long-term exposure
Chronic Toxicity	Prolonged or repeated skin contact with dilute solutions of potassium hydroxide can cause dermatitis.Prolonged or repeated eye contact with dilute solutions can cause conjunctivitis.Prolonged or repeated Inhalation can produce chronic productive cough, and shortness of breath.
Sensitization:	No information available.
Mutagenic Effects:	For Potassium Hydroxide: Cytogenic analysis - Hamster ovary 12mmol/L (Registry of Toxic Effects of Chemical Substances)

#### Carcinogenic effects:

Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Potassium Hydroxide	1310-58-3	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

# Reproductive toxicity

No data is available

Product code: P1316

**Product name:** POTASSIUM HYDROXIDE, PELLETS, FCC

Reproductive Effects:	No information available
Developmental Effects:	No information available
Teratogenic Effects:	No information available
Specific Target Organ Toxicity	

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organs:	Skin. Respiratory system. Eyes.

# **12. ECOLOGICAL INFORMATION**

1

# **Ecotoxicity**

Ecotoxicity effects:	No data available.
Potassium Hydroxide - 1310-58-3 Freshwater Fish Species Data:	80 mg/L LC50 Gambusia affinis 96 h static
Persistence and degradability:	No information available
Bioaccumulative potential:	No information available.
Mobility:	No information available.

# **13. DISPOSAL CONSIDERATIONS**

# **Disposal Methods**

# Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

# Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Potassium Hydroxide	1310-58-3	None	None	None	None

# 14. TRANSPORT INFORMATION

1
naterial that is a hazardous substance that has a
f 1000 pounds (454 Kilograms).
oxide, solid, 8, II
r

Product code: P1316	Product name: POTASSIUM
	HYDROXIDE, PELLETS, FCC

UN1813 Potassium hydroxide, solid 8 No information available II No Information available UN1813, Potassium hydroxide, solid, 8, II
UN1813 Potassium hydroxide, solid 8 II No information available UN1813, Potassium hydroxide, solid, 8, II
UN1813 Potassium hydroxide, solid 8 No information available II No information available F-A UN1813, Potassium hydroxide, solid, 8, II
UN1813 Potassium hydroxide, solid 8 No information available II UN1813, Potassium hydroxide, solid, 8, II
UN1813 Potassium hydroxide, solid 8 No information available II UN1813, Potassium hydroxide, solid, 8, II
UN1813 Potassium hydroxide, solid 8 No information available II 8L No information available UN1813, Potassium hydroxide, solid, 8, II <b>15. REGULATORY INFORMATION</b>

# 15. REGULATORY INFORMATION

# International Inventories

[	Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines	Japan ENCS	CHINA	Australia	EINECS-No.	
	Product code: P	1316		Product nar HYDROXIDE					10 / 13	

				(PICCS)			(AICS)	
Potassium Hydroxide	1310-58-3	PresentACTIV	Present	Present	Present	Present	Present	Present
_		E	KE-29139		(1)-369			215-181-3

#### **U.S. Regulations**

Potassium Hydroxide Massachusetts RTK: Present New Jersey RTK Hazardous Substance List: sn 1571 New Jersey - Discharge Prevention - List of Hazardous Substances: Present Pennsylvania RTK: Environmental hazard Pennsylvania RTK - Environmental Hazard List Present Minnesota - Hazardous Substance List: Present New York Release Reporting - List of Hazardous Substances: 1000 lb RQ 100 lb RQ Louisana Reportable Quantity List for Pollutants: 1000lbfinal RQ 454kgfinal RQ California Directors List of Hazardous Substances: Present FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1631 FDA - 21 CFR - Total Food Additives 163.110, 163.111, 163.112, 172.841, 175.210, 176.180, 176.210, 177.1600, 177.2800,

- List Sourced from EAFUS 184.1631, 73.85

#### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
Potassium Hydroxide	1310-58-3	Not Listed	Not Listed	Not Listed	Not Listed

#### CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Potassium Hydroxide	1310-58-3	1000 lb final RQ 454 kg final RQ	None	None	None	None

#### **U.S. TSCA**

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Potassium Hydroxide	1310-58-3	Not Applicable	Not Applicable

#### Canada

#### WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Potassium Hydroxide 1310-58-3 (100) WHMIS 2015 Hazard Classification Corrosive to Metals - Category 1: H290 May be corrosive to metals. (2.5% in aqueous solution; potentially corrosive to metals; the supplier should be contacted for more information); Acute toxicity - Oral - Category 3: H301 Toxic if swallowed.; Acute

toxicity - Oral - Category 4: H302 Harmful if swallowed. (25% aqueous solution); Health Hazard Not Otherwise Classified -Category 1: Causes severe damage to the respiratory tract; Skin corrosion/irritation - Category 1: H314 Causes severe skin burns and eye damage.; Serious Eye Damage/Eye Irritation - Category 1: H318 Causes serious eye damage.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

Components	WHMIS Ingredient Disclosure List -
Potassium Hydroxide	1 %

#### Inventory

Components	CAS-No.		Canada (DSL)	Canada (NDSL)
Potassium Hydroxide	1310-58-3		Present	Not Listed
Components		CAS-No.		CEPA Schedule I - Toxic Substances
Potassium Hydroxide		1310-58-3		Not listed
Components		CAS-No.		CEPA - 2010 Greenhouse Gases Subject
-				to Mandatory Reporting
Potassium Hydroxide		1310-58-3		Not listed

#### **EU Classification**

#### EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Potassium Hydroxide	1310-58-3	Acute toxicity - Oral - Acute Tox. 4:
		H302 Harmful if swallowed. (Minimum
		classification); Skin corrosion/irritation
		- Skin Corr. 1A: H314 Causes severe
		skin burns and eye damage. (C $\geq$ 5
		%)019-002-00-8
		Skin corrosion/irritation - Skin Corr.
		1A: H314 Causes severe skin burns
		and eye damage. (C >= 5 %); Skin
		corrosion/irritation - Skin Corr. 1B:
		H314 Causes severe skin burns and
		eye damage. (2 % <= C <5 %); Skin
		corrosion/irritation - Skin Irrit. 2: H315
		Causes skin irritation. (0.5 % <= C <2
		%); Serious Eye Damage/Eye Irritation
		<ul> <li>Eye Irrit. 2: H319 Causes serious eye</li> </ul>
		irritation. (0.5 % <= C <2
		%)019-002-00-8

#### EU - CLP (1272/2008)

#### R-phrase(s)

R22 - Harmful if swallowed.

R35 - Causes severe burns.

#### S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S 1/2 - Keep locked up and out of the reach of children.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	CAS-No.	Classification	Concentration	Safety Phrases
Product code: P1316		Product name: POTA HYDROXIDE, PELLET		12 / 13

S1/2 S26 S36/37/39
S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

# Indication of danger:

C - Corrosive. Xn - Harmful.



# **16. OTHER INFORMATION**

Preparation Date: Revision Date: Prepared by: 3/13/2015 10/4/2018 Sonia Owen

**Disclaimer:** 

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

# End of Safety Data Sheet